


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A		CH'D -1 ENGRAVE NOTES, ADDED MISSING CHAMFER DIM., CH'D BOM INFO PER R.W.	5/6/2011	RJC	RW
B		CH'D TOOL NAME WAS GIMBAL CARBON SEAL REMOVER IS TOOL, GIMBAL CARBON SEAL REMOVER TO MATCH PARTS MANUAL	11/1/2013	RJC	RW
1		-3 CH'D MAT'L WAS 4140 FLAT BAR IS 4140 PLATE, CH'D B/O INFO WAS 3/8 IS 3/16. CH'D TOLERANCE ON NON-CRITICAL PARTS.	5/16/2014	DPD	GE
2	17-0095	UPDATED TO NEW STANDARD. -1 CH'D DIMS WAS Ø2.748 IS 2.75, WAS R.187 I SR.19, WAS .982 IS .98, WAS 1.182 IS 1.18. -3 CH'D MAT'L WAS 4140 IS 4140/4142. CH'D FINISH WAS CAD PLATE YELLOW QQ-P-416F TYPE II CLASS II IS ZINC PLATE ASTM B633 TYPE I SC2.	4/21/2017	DPD	JAG



#### NOTES:



- PART OF KIT RBW6305G01531-3G, BOX ONE RBW6305G19631-3G.
- REF. AGUSTA T/N: 3G6305G13731.

<b>DART AEROSPACE</b>	
TITLE TOOL, GIMBAL CARBON SEAL REMOVER	
DWG NO. RBW6305G13731-3G	REV 2
MAT'L REAT TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: RJC 04/21/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: AA 05/10/2017	USED ON MODEL
QA APPR: JL 05/10/2017	AW139
APPROVED: JAG 05/18/2017	
SCALE 1:2	DATE 2/4/2011
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	CUP	6061		2
			-3	2	HALF KEEPER	4140/4142		3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A		CH'D -1 ENGRAVE NOTES, ADDING MISSING CHAMFER DIM.	5/6/2011	RJC	RW
2	17-0095	-1 CH'D DIMS WAS Ø2.748 IS 2.75, WAS R.187 I SR.19, WAS .982 IS .98, WAS 1.182 IS 1.18.	4/21/2017	DPD	JAG




(-1)  
CUP

<b>DART AEROSPACE</b>	
TITLE TOOL, GIMBAL CARBON SEAL REMOVER	
DWG NO. RBW6305G13731-3G-1	REV 2
MAT'L 6061	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH CLEAR ANODIZE	.XXX ± .005 FRACTIONS ± 1/8
SPEC MIL-A-8625F, TYPE II, CLASS I	.XX ± .01 ANGLES ± 5°
DRAWN BY: CLOUGH	.X ± .1 SURFACES = 125
CHECKED: RJC 04/21/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 05/10/2017	.015 x 45° OR .015R
QA APPR: JL 05/10/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
APPROVED: JAG 05/18/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 1:1	DATE 2/4/2011
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	17-0095	-3 CH'D MAT'L WAS 4140 IS 4140/4142. CH'D FINISH WAS CAD PLATE YELLOW QQ-P-416F TYPE II CLASS II IS ZINC PLATE ASTM B633 TYPE I SC2.	4/21/2017	DPD	JAG



(-3)  
HALF KEEPER

<b>DART AEROSPACE</b>	
TITLE TOOL, GIMBAL CARBON SEAL REMOVER	
DWG NO. RBW6305G13731-3G-3	REV 2
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± .5°
DRAWN BY: CLOUGH	.X ± .1 SURFACES = 125°
CHECKED: RJC 04/21/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 05/10/2017	.015 x 45° OR .015R
QA APPR: JL 05/10/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
APPROVED: JAG 05/18/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 1:1	DATE 2/4/2011
USED ON MODEL AW139	
SHEET 3 OF 3	